Index to Volume 38, 1981

A

ACHESON E D, COWDELL R H, and RANG E H: Nasal cancer in England and Wales: an occupational survey, 218

Acrylonitrile polymerisation workers, mortality, UK, 247

ALDERSON M R, RATTAN N S, and BIDSTRUP L: Health of workmen in the chromate-producing industry in Britain, 117

——— *see also* RUSHTON L and ALDERSON M R

ALESSIO L, CASTOLDI M R, ODONE P, and FRANCHINI I: Behaviour of indicators of exposure and effect after cessation of occupational exposure to lead, 262

AL ZUHAIR Y S, WHITAKER C J, and CINKOTAI F F: Ventilatory function in workers exposed to tea and wood dust, 339

δ-Aminolaevulinic acid dehydratase erythrocyte factors concerned in inhibition of, by lead, 268

Anaemia, toxic erythrocytes, SEM and light-optics investigations, 72

Arginase and kallikrein activities as biochemical indices of occupational exposure to lead, 175

Arsenic and selenium in lung, liver, and kidney tissue from dead smelter workers, 179

ARUTJUNOV V D, BATSURA J D, GRIBOVA I A, and KRUGLIKOV G G: Scanning electron-microscopic and light-optic investigations of erythrocytes in toxic anaemia, 72

Asbestos air samples, technique to prepare for light and electron microscopy, 389

Asbestosis, mortality of workers certified by pneumoconiosis medical panels, 130

ASHTON I, AXFORD A T, BEVAN C, and COTES J E: Lung function of office workers exposed to humidifier fever antigen, 34

AXELSON O, *see* ERIKSSON M *et al*

AXFORD A T *see* ASHTON I *et al*

B

BARRY P S I: Concentrations of lead in the tissues of children, 61

BATSURA J D *see* ARUTJUNOV V D *et al*

Behavioural effects of styrene exposure, 346

BENNETT J G *see* SHENNAN D H *et al*

Benzidine and metabolites in urine of workers weighing benzidine-derived dyes, search for, 191

BERG N O *see* ERIKSSON M *et al*

BERRY G: Mortality of workers certified by pneumoconiosis medical panels as having asbestosis, 130

BEVAN C *see* ASHTON I *et al*
COCKROFT A *et al*
MUSK A W *et al*

BIDSTRUP L *see* ALDERSON M R *et al*

BIENIEK G and WILCZOK T: Thin-layer chromatography of hippuric and m-methylhippuric acid in urine after mixed exposure to toluene and xylene, 304

Biological monitoring, assessment of risk by: for discussion, 198

BJELLE A, HAGBERG M, and MICHAELSON G: Occupational and individual factors in acute shoulder-neck disorders among industrial workers, 356

Blackwood, Australian, quinonoid constituents as contact sensitisers, 105

Bladder cancer, case-control study in US rubber and tyre industry, 240

Book reviews:
BASELT R C: Biological monitoring methods for industrial chemicals 1980, 307
CENA K and CLARK J A editors: Bioengineering, thermal physiology and comfort 1981, 308
FRAZIER C A *editor:* Occupational asthma, 1980, 204
SLINEY D and WALBARSHT M: Safety with lasers and other optical sources—a comprehensive handbook 1980, 307
VOKE J: Colour vision testing, 1980, 204
WALDRON H A and HARRINGTON J M *editors:* Occupational hygiene 1980, 307
ZENZ C, *editor*: Developments in occupational medicine, 1980, 204

BOS R P *see* VAN DOORN R *et al*

BROUNS R M E *see* VAN DOORN R *et al*

BRUGNONE F *see* PERBELLINI L *et al*

BRUNE D *see* WESTER P O *et al*

BURNS J *see* COPLAND L *et al*

Byssinosis, prevalence in Swedish cotton mills, 138

C

Cadmium, chronic poisoning, in a pigment manufacturing plant, 76

——— renal overload without nephrotoxicity, 185

——— workers, urinary β_2 microglobulin in biological monitoring, 170

CAMPBELL H *see* LYONS J P and CAMPBELL H

CAMPBELL I *see* COCKCROFT A *et al*

CAMPBELL M J *see* MUSK A W *et al*

Cancer risks from radiation to workers at Hanford, study III, 156: notes and miscellanea, 202

CANTONI S *see* MARONI A *et al*

Carcinogenic and non-carcinogenic chemicals, lymphocyte reactivity of workers exposed to, 167

CARTER J T *see* WERNER J B and CARTER J T

CASTOLDI M R *see* ALESSIO L *et al*

Castor bean allergy in upholstery department of furniture factory, 293

CHECKOWAY H, SMITH A H, MCMICHAEL A J, JONES F S, MONSON R R and TYROLER H A: A case-control study of bladder cancer in the United States rubber and tyre industry, 240

Chemical waste incinerators, enhanced excretion of thioethers in urine of operators, 187
CHERRY N, RODGERS B, VENABLES H, WALDRON H A, and WELLS G G: Acute behavioural effects of styrene exposure: a further analysis, 346
——— VENABLES H, WALDRON H A, and WELLS G G: Some observation on workers exposed to methylene chloride, 351
Chest radiographs, classification in pneumoconiosis, 254
CHMIELNICKA J, KOMSTA-SZUMSKA E, and SZYMAŃSKA J A: Arginase and kallikrein activities as biochemical indices of occupational exposure to lead, 175
CHOVIL A, SUTHERLAND R B, and HALLIDAY M: Respiratory cancer in a cohort of nickel sinter plant workers, 127
Chromate-producing workmen, health of, Britain, 117
CINKOTAI F F *see* AL ZUHAIR Y S *et al*
Coal miners, factors predisposing to development of progressive massive fibrosis, 321
——— ——— ventilatory function, Nigeria, 275
Coalworkers' pneumoconiosis, relation between progressive massive fibrosis, emphysema, and pulmonary dysfunction in, 125
COCKCROFT A, EDWARDS J, BEVAN C, CAMPBELL I, COLLINS G, HOUSTON K, JENKINS D, LATHAM S, SAUNDERS M, and TROTMAN D: An investigation of operating theatre staff exposed to humidifier fever antigens, 144
COCKER J *see* MEAL P F *et al*
COLLINS G *see* COCKCROFT A *et al*
COLOMBI A *see* MARONI A *et al*
COPLAND L, BURNS J, and JACOBSEN M: Classification of chest radiographs for epidemiological purposes by people not experienced in the radiology of pneumoconiosis, 254
Cornish miners, study of mortality, 378
Corrections, 400
COSTELLO C B *see* KUMAR S *et al*
COTES J E *see* ASHTON I *et al*
MUSK A W *et al*
Cotton bacterial endotoxin assessed by electron microscopy, 394
——— mills, Swedish, prevalence of byssinosis, 138
COWDELL R H *see* ACHESON E D *et al*
COX J E, DOLL R, SCOTT W A, and SMITH S: Mortality of nickel workers: experience of men working with metallic nickel, 235
Cresol formation and experimental exposure to toluene, 194
CUMMIN P *see* GHOSE R R *et al*

D

DARBY S C and REISSLAND J A: Hanford radiation study, note on Hanford radiation study III: notes and miscellanea, 202
DAVIS P R, *see* NICHOLSON A S *et al*
DESILVA P E: Determination of lead in plasma and studies on its relationship to lead in erythrocytes, 209 and DONNAN M B: Chronic cadmium poisoning in a pigment manufacturing plant, 76
DICK J A *see* SHENNAN D H *et al*
DIMICH H D and STERLING T D: Ventilatory changes over a workshift, 152
DOLL R *see* COX J E *et al*
DONNAN M B *see* DESILVA P E and DONNAN M B
DOORN R VAN, *see* VAN DOORN R
DOSS A W *see* WYATT I *et al*
Drug metabolism, microsomal, induction of microsomal drug metabolism by, 91
DRYSCH K *see* WOIWODE W and DRYSCH K

E

EDWARDS J *see* COCKCROFT A *et al*
Electrical workers, exposure to polychlorinated biphenyls, I. Environmental and blood polychlorinated biphenyl concentrations, 49, II. Health effects, 55
ELMES P C: Relative importance of cigarette smoking in occupational lung disease, 1
Environmental antigens and respiratory symptoms, sensitization against, swine workers, 334
Epichlorohydrin workers, testicular function among, 372
ERIKSSON M, HARDELL L, BERG N O, MÖLLER T, and AXELSON O: Soft-tissue sarcomas and exposure to chemical substances: a case-referent study, 27
Erythrocytes, factors concerned in inhibition of ALA-D by lead, 268
——— in toxic anaemia, SEM and light-optics investigations, 72

F

FAGGIONATO G *see* PERBELLINI L *et al*
FÄRKKILÄ M *see* PYYKKÖ I *et al*
FERIOLI E *see* MARONI M *et al*
Fibrosis, progressive massive, development factors predisposing in coal miners, 321
FOA V *see* MARONI M *et al*
FOX A J, GOLDBLATT P, and KINLEN L J: A study of the mortality of Cornish tin miners, 378
FRANCHINI I *see* ALESSIO L *et al*
FREEDMAN A P, ROBINSON S E, O'LEARY K, GOODMAN L, and STELLMAN J M: Non-invasive magnetopneumographic determination of lung dust loads in steel arc welders, 384
FREWIN D B *see* HARMAN A W *et al*
Furniture factory, castor bean allergy in upholstery department, 293

G

GHOSE R R, MORGAN W D, and CUMMINS P E: Renal cadmium overload without nephrotoxicity, 185
GILMOUR J M *see* MEAL P F *et al*
GOLDBLATT P *see* FOX A J *et al*
GOMPERTZ D: Assessment of risk by biological monitoring: for discussion, 198
GOODMAN L *see* FREEDMAN A P *et al*
GRIBOVA I A *see* ARUTJUNOV V D *et al*

H

HAGBERG M *see* BJELLE A *et al*
HAGLIND P, LUNDHOLM M, and RYLANDER R: Prevalence

of byssinosis in Swedish cotton mills, 138
HALLIDAY M *see* CHOVIL A *et al*
Hanford radiation study III, cancer risks from radiation (1944-77 deaths), 156, notes and miscellanea, 202
HARDELL L *see* ERIKSSON M *et al*
HARMAN A W, FREWIN D B, and PRIESTLY B G: Induction of microsomal drug metabolism in man and in the rat by exposure to petroleum, 91
HAUSEN B M and SCHMALLE H: Quinonoid constituents as contact sensitisers in Australian blackwood (*Acacia melanoxylon* RBR), 105
Hearing loss in lumberjacks, and hand-arm vibration, 281
HELANDER I and LOUNATMAA K: Cotton bacterial endotoxin assessed by electron microscopy, 394
HENDERSON P TH *see* VAN DOORN R *et al*
n-Hexane metabolites and isomers, urinary excretion during occupational exposure, 20
——— and toluene, effects on peripheral nerve of rat, 14
HILL R N *see* SLOVAK A J M and HILL R N
Hippuric and m-methylhippuric acid, in urine, after mixed exposure to toluene and xylene, thin-layer chromatography, 304
HISANAGA N *see* TAKEUCHI Y *et al*
HOIKKALA M *see* PYYKKÖ I *et al*
HOUSTON K *see* COCKCROFT A *et al*
HOWARD J K, SABAPATHY N N, and WHITEHEAD P A: A study of the health of Malaysian plantation workers with particular reference to paraquat spraymen, 110
HUGHES E G *see* STEWART M and HUGHES E G
Humidifier fever antigens, investigation of operating theatre staff exposed to, 144
——— ——— ——— lung function of office workers exposed to, 34
HURST W *see* KUMAR S *et al*
Hydroquinone monomethyl ether, screening for occupational vitiligo in workers exposed to, 381

I

Information section, MEDLARS, 101, 205, 309, 398
International Colloquium for the Prevention of Occupational Accidents and Diseases in the Iron and Metal Manufacturing Industry, Palma de Mallorca, June 1982, notice, 308
International Conference on Heavy Metals, Amsterdam September 1981, notice, 204
Intrabronchial instillation of paraquat in rats, 42

J

JACOBSEN M *see* COPLAND L *et al*
JAIN B L and PATRICK J M: Ventilatory function in Nigerian coal miners, 275
JENKINS D *see* COCKCROFT A *et al*
JONES F S *see* CHECKOWAY H *et al*
JOYNER R E *see* MILBY T H *et al*
JUUL C and NIELSEN S L: Locally induced digital vasospasm detected by delayed rewarming in Raynaud's phenomenon of occupational origin, 87

K

Kallikrein and arginase activities as biochemical indices of occupational exposure to lead, 175
KAPLAN Y S *see* SHENNAN D H *et al*
KATILA M L, MÄNTYJÄRVI R A, and OJANEN T H: Sensitisation against environmental antigens and respiratory symptoms in swine workers, 334
KILPIKARI I: Correlation of urinary thioethers with chemical exposure in a rubber plant, 98
KINLEN L J *see* FOX A J *et al*
KNEALE G W, MANCUSO T F, and STEWART A M: Hanford radiation study III: a cohort study of the cancer risks from radiation to workers at Hanford (1944-77 deaths) by the method of regression models in life-tables, 156
KOMSTA-SZUMSKA E *see* CHMIELNICKA J *et al*
KORHONEN O *see* PYYKKÖ I *et al*
KRUGLIKOV G G *see* ARUTJUNOV V D *et al*
KUMAR S, TAYLOR G, HURST W, WILSON P, and COSTELLO C B: Lymphocyte reactivity of workers exposed to carcinogenic and non-carcinogenic chemicals, 167

L

Laboratory animal allergy: clinical survey of an exposed population, 38
LATHAM S *see* COCKCROFT A *et al*
Lead accumulation in teeth as a function of age with different exposures, 297
——— behaviour of indicators of exposure and effect after cessation of occupation exposure, 262
——— concentrations of tissues in children, 61
——— determination in plasma, relationship to lead in erythrocytes, 209
——— erythrocyte factors concerned in the inhibition of ALA-D by lead, 268
——— occupational exposure, arginase and kallikrein activities as biochemical indices, 175
LEIJDEKKERS CH-M, *see* VAN DOORN R *et al*
LIPSHULTZ L I *see* MILBY T H *et al*
LOUNATMAA K *see* HELANDER I and LOUNATMAA K
LOWING R K *see* TOPPING M D *et al*
Lumberjacks, hand-arm vibration in aetiology of hearing loss, 281
LUNDHOLM M *see* HAGLIND P *et al*
Lung cancer in a cohort of nickel sinter plant workers, 327
——— disease, occupation, relative importance of cigarette smoking, 1
——— dust loads in steel arc welders, non-invasive magnetopneumographic determination, 384
——— function of office workers exposed to humidifier fever antigen, 34
——— function and simple coalworkers' pneumoconiosis, 9-year follow-up, 313
——— morphology and retention and intrabronchial instillation of paraquat, rats 42
Lymphocyte reactivity of workers exposed to carcinogenic and non-carcinogenic chemicals, 167
LYONS J P and CAMPBELL H: Relation between progressive massive fibrosis, emphysema, and pulmonary dysfunction in coalworkers' pneumoconiosis, 125

M

McMichael A J *see* Checkoway H *et al*
Magnetopneumographic determination, non-invasive, of lung dust loads in steel arc welders, 384
Mancuso T F *see* Kneale G W *et al*
Mäntyjärvi R A *see* Katila M L *et al*
Maroni M, Colombi A, Cantoni S, Ferioli E, and Foa V: Occupational exposure to polychlorinated biphenyls in electrical workers. I. Environmental and blood polychlorinated biphenyls concentrations, 49
Meal P F, Cocker J, Wilson H K, and Gilmour J M: Search for benzidine and its metabolites in urine of workers weighing benzidine-derived dyes, 191
Medlars, information section, 101, 205, 309, 398
Methylene chloride, workers exposed to, 351
Michaelson G *see* Bjelle A *et al*
β_2 Microglobulin, urinary in biological monitoring of cadmium workers, 170
Milby T H, Whorton M D, Stubbs H A, Ross C E, Joyner R E, and Lipshultz L I: Testicular function among epichlorohydrin workers, 372
Möller T, *see* Eriksson M *et al*
Monson R R *see* Checkoway H *et al*
Morgan P G M and Ong S G: First report of byssinosis in Hong Kong, 290
Morgan W D *see* Ghose R R *et al*
Mortality of acrylonitrile polymerisation workers, UK, 247
——— of Cornish tin miners, 378
——— of nickel workers, experience of men working with metallic nickel, 235
——— in oil refineries, epidemiological study, 225
——— of workers certified by pneumoconiosis medical panels as having asbestosis, 130
Musk A W, Cotes, J E, Bevan C, and Campbell M J: Relationship between type of simple coalworker's pneumoconsiosis and lung function, 313

N

Nasal cancer in England and Wales: an occupational survey, 218
Nicholson A S, Davis P R, and Sheppard N J: Magnitude and distribution of trunk stresses in telecommunications engineers, 364
Nickel sinter plant workers, lung cancer in, 327
——— workers, mortality 235
Nielsen S L *see* Juul C and Nielsen S L
Nordberg G *see* Wester P O *et al*
Notes and miscellanea: Hanford radiation study, note on study III, 202
——— ——— ——— Silicosis, 397
Nurminen M *see* Pyykkö I *et al*

O

Occupational exposure to *n*-hexane metabolites and isomers, urinary excretion during, 20
——— ——— to laboratory animals causing allergy, 38
——— ——— to lead, *see* Lead
——— ——— to polychorinated biphenyls, electrical workers. I. Environmental and blood polychlorinated biphenyls concentrations, 49, II. Health effects, 55
——— ——— in rubber plant, correlation of urinary thiothers, 98
——— ——— *see also* Rubber
——— lung disease, relative importance of cigarette smoking, 1
Odone P *see* Alessio L *et al*
Office workers exposed to humidifier fever antigen, lung function, 34
Oil refineries, epidemiological survey of eight, Britain, 225
Ojanen T H *see* Katila M L *et al*
O'Leary K *see* Freedman A P *et al*
Ong S G *see* Morgan P G M and Ong S G
Ono Y *see* Takeuchi Y *et al*
Operating theatre staff, exposed to humidifier fever antigens, investigation, 144
O'Sullivan J J and Stevenson C J: Screening for occupational vitiligo in workers exposed to hydroquinone monomethyl ether and to paratertiary-amyl-phenol, 381

P

Pang T W S and Robinson A E: A technique to prepare asbestos air samples for light and electron microscopy, 389
Paraquat, intrabronchial instillation, rats, 42
——— spraymen on plantations, Malaya, health of, 110
Paratertiary-amyl-phenol, screening for occupational vitiligo in workers exposed to, 381
Patrick J M *see* Jain B L and Patrick J M
Perbellini L, Brugnone F, and Faggionato G: Urinary excretion of the metabolites of *n*-hexane and its isomers during occupational exposure, 20
Petroleum exposure, induction of microsomal drug metabolism, man and rat, 91
Pig workers, sensitisation against environmental antigens and respiratory symptoms in, 334
Plantation workers, health, particular reference to paraquat spraymen, Malaya, 110
Pneumoconiosis, classification of chest radiographs, 254
———, coalworkers', relation between progressive massive fibrosis, emphysema and pulmonary dysfunction in, 125
——— ——— simple, relationship with lung function, 9-year follow-up, 313
Polychlorinated biphenyls, occupational exposure in electrical workers, I. Environmental and blood polychlorinated biphenyls concentrations, 49, II. Health effects, 55
Pourtois M *see* Steenhout A and Pourtois M
Priestly B G *see* Harman A W *et al*
Progressive massive fibrosis, development, factors predisposing in coal miners, 321
——— ——— ——— emphysema, and pulmonary dysfunction, relation between in coalworkers' pneumoconiosis, 125
Pyykkö I, Starck J, Färkkilä M Hoikkala M,

KORHONEN O and NURMINEN M: Hand-arm vibration in the aetiology of hearing loss in lumberjacks, 281

Q

Quinonoid constituents as contact sensitisers in Australian blackwood (*Acacia melanoxylon* RBR), 105

R

Radiation risks and cancer, workers at Hanford, study III, 156: notes and miscellanea, 202
RANG E H *see* ACHESON E D *et al*
RATTAN N S *see* ALDERSON M R *et al*
Raynaud's phenomenon of occupational origin, locally-induced digital vasospasm detected by delayed re-warming in, 87
REISSLAND J A *see* DARBY S C and REISSLAND J A
Respiratory cancer in cohort of nickel sinter plant workers, 327
——— symptoms and environmental antigens, sensitization against, swine workers, 334
ROBINSON A E *see* PANG T W S and ROBINSON A E
ROBINSON S E *see* FREEDMAN A P *et al*
RODGERS B, *see* CHERRY N *et al*
ROSS C E *see* MILBY T H *et al*
Rubber plant, correlation of urinary thiothers with chemical exposure, 98
——— and tyre industry, case-control study of bladder in US, 240
RUSHTON L and ALDERSON M R: An epidemiological survey of eight oil refineries in Britain, 225
RYLANDER R *see* HAGLAND P *et al*

S

SABAPATHY N N *see* HOWARD J K *et al*
SAKAI T, YANAGIHARA S and USHIO K: Erythrocyte factors concerned in the inhibition of ALA-D by lead, 268
SAUNDERS M *see* COCKCROFT A *et al*
SCHMALLE H *see* HAUSEN B M and SCHMALLE H
SCOTT W A *see* COX J E *et al*
Selenium and arsenic in lung, liver, and kidney tissue from dead smelter workers, 179
Sensitisation against environmental antigens and respiratory symptoms in swine workers, 334
SHENNAN D H, WASHINGTON J S, THOMAS D J, DICK J A, KAPLAN Y S, and BENNET J G: Factors predisposing to the development of progressive massive fibrosis in coal miners, 321
SHEPPARD N J *see* NICHOLSON A S *et al*
Shoulder-neck disorders among industrial workers, occupational and individual factors, 356
Silicosis: notes and miscellanea 397
SILVA P E DE, *see* DESILVA P E
SLOVAK A J M and HILL R N: Laboratory animal allergy: a clinical survey of an exposed population, 38
SMITH A H *see* CHECKOWAY H *et al*
SMITH L L *see* WYATT I *et al*
SMITH S *see* COX J E *et al*
Smoking, cigarette, relative importance in occupational lung disease, 1
Soft-tissue sarcomas, and exposure to chemical substances, a case-referent study, 27
STARCK J *see* PYYKKÖ I *et al*
Steel arc welders, non-invasive magnetopneumographic determination of lung dust loads, 384
STEENHOUT A and POURTOIS M: Lead accumulation in teeth as a function of age with different exposures, 297
STELLMAN J M *see* FREEDMAN A P *et al*
STERLING T D *see* DIMICH H D and STERLING T D
STEVENSON C J *see* O'SULLIVAN J J and STEVENSON C J
STEWART A M: Reply to note on Hanford radiation study III (Darby & Reissland), 203
——— *see also* KNEALE G W *et al*
STEWART M and HUGHES E G: Urinary β_2 microglobulin in the biological monitoring of cadmium workers, 170
STUBBS H A *see* MILBY T H *et al*
Styrene exposure, behavioural effects of, 346
SUTHERLAND R B, *see* CHOVIL A *et al*
Swine workers *see* Pig workers
SZUMSKA E, KOMSTA- *see* KOMSTA-SZUMSKA E
SZYMAŃSKA J A *see* CHMIELNICKA J *et al*

T

TAKEUCHI Y, ONO Y, and HISANAGA N: An experimental study on the combined effects on *n*-hexane and toluene on the peripheral nerve of the rat, 14
TAYLOR G *see* KUMAR S *et al*
Tea and wood dust, ventilatory function in workers exposed to, 339
Testicular function among epichlorohydrin workers, 372
Thioethers, enhanced excretion in urine of operators of chemical waste incinerators, 187
———, urinary, correlation with chemical exposure in a rubber plant, 98
THOMAS D J *see* SHENNAN D H *et al*
Tin miners, study of mortality, 378
Toluene, experimental exposure to toluene, further consideration of cresol formation in man, 194
——— and *n*-hexane, effect on peripheral nerve, rat, 14
——— and xylene, exposure to, thin-layer chromatography of hippuric and m-methylhippuric acid in urine after, 304
TOPPING M D, TYRER F H, and LOWING R K: Castor bean allergy in the upholstery department of a furniture factory, 293
TROTMAN D *see* COCKCROFT A *et al*
Trunk tresses in telecommunication engineers, magnitude and distribution, 364
TYRER F H *see* TOPPING M D *et al*
TYROLER H A *see* CHECKOWAY H *et al*

U

Upholstery department, furniture factory, castor bean allergy, 293
USHIO K *see* SAKAI T *et al*

V

Vancouver style, 129
VAN DOORN R, LEIJDEKKERS CH-M, BOS P, BROUNS R M E, and HENDERSON P TH: Enhanced excretion of thioethers in urine of operators of chemical waste incinerators, 187
Ventilatory function changes over a workshift, 152
——— ——— in Nigerian coal miners, 275
——— ——— in workers exposed to tea and wood dust, 339
Vibration, hand-arm, in aetiology of hearing loss in lumberjacks, 281
Vitiligo, occupational, screening in workers exposed to hydroquinone monomethyl ether and to paratertiary-amyl-phenol, 381

W

WALDRON H A *see* CHERRY N *et al*
WASHINGTON J S *see* SHENNAN D H *et al*
WELLS G G *see* CHERRY N *et al*
WERNER J B and CARTER J T: Mortality of United Kingdom acrylonitrile polymerisation workers, 247
WESTER P O, BRUNE D, and NORDBERG G: Arsenic and selenium in lung, liver, and kidney tissue from dead smelter workers, 179
WHITAKER C J *see* AL ZUHAIR Y S *et al*
White-finger, vibration-induced, locally induced digital vasospasm detected by delayed rewarming in, 87
WHITEHEAD P A *see* HOWARD J K *et al*
WHORTON M D *see* MILBY T H *et al*
WILCZOK T *see* BIENIEK G *and* WILCZOK T
WILSON H K *see* MEAL P F *et al*
WILSON P *see* KUMAR S *et al*
WOIWODE W and DRYSCH K: Experimental exposure to toluene: further consideration of cresol formation in man, 194
Wood dust and tea, ventilatory function in workers exposed to, 339
WYATT I, DOSS A W, ZAVALA D C, and SMITH L L: Intrabronchial instillation of paraquat in rats: lung morphology and retention study, 42

X

Xylene and toluene, exposure to, thin-layer chomatography of hippuric and m-methylhippuric acid in urine after exposure to, 304

Y

YANAGIHARA S *see* SAKAI T *et al*

Z

ZAVALA D C *see* DOSS A W *et al*
ZUHAIR Y S AL *see* AL ZUHAIR Y S